



SOT96-1

SO8; Reel pack; SMD, 13"

Q1/T1 Standard product orientation

Orderable part number ending, 518 or Y

Ordering code (12NC) ending 518

Rev. 1 — 2 June 2014

Packing information

1. Packing method





Fig 1. Reel pack for SMD

SO8; Reel pack; SMD, 13"
Q1/T1 Standard product orientation
Orderable part number ending, 518 or Y
Ordering code (12NC) ending 518

Table 1. Packing information

Reel dimensions d x w (mm)	SPQ/PQ (pcs)	Reels per box	Outer box dimensions l x w x h (mm)
330 x 12	2500	1	339 x 337 x 36

2. Product orientation



3. Carrier tape dimensions




Table 2. Carrier tape dimensions
In accordance with IEC 60286-3.

A ₀ (mm)	B ₀ (mm)	K ₀ (mm)	T (mm)	P ₁ (mm)	W (mm)
6.4	5.4	2.05	-	8	12

SO8; Reel pack; SMD, 13"
 Q1/T1 Standard product orientation
 Orderable part number ending, 518 or Y
 Ordering code (12NC) ending 518

4. Reel dimensions




Fig 4. Schematic view of reel

Table 3. Reel dimensions
 In accordance with IEC 60286-3.

D (mm)	W (mm)
330	12

SO8; Reel pack; SMD, 13"
Q1/T1 Standard product orientation
Orderable part number ending, 518 or Y
Ordering code (12NC) ending 518

5. Barcode label




Fig 5. Box information barcode




Fig 6. Reel information barcode

Table 4. Barcode dimensions

Box barcode label l x w (mm)	Reel barcode label l x w (mm)
100 x 75	35 x 75

Limited warranty and liability

Information in this document is believed to be accurate and reliable. However, NXP Semiconductors does not give any representations or warranties, expressed or implied, as to the accuracy or completeness of such information and shall have no liability for the consequences of use of such information.

© NXP Semiconductors N.V. 2014.

For more information, please visit: <http://www.nxp.com>
For sales office addresses, please send an email to: salesaddresses@nxp.com

All rights reserved.

Date of release: 2 June 2014
Document identifier: SOT96-1_518